


## 1. Driver install

**Step 1:** Plug the VCAP602 into one of the USB 2.0 port, Windows will show that hardware found. Please choose “Cancel”




**Step 2:** Another window will come up showing that new hardware found, please choose “cancel” again.




**Step 3:** Insert the software CD into CD/DVD Drive. It should automatically startup and show the main menu..  
If it does not startup automatically, please run Drive\setup.exe from the software CD to get the startup menu.  
Click **“Driver install”**




Step 4: Click “install” when “Driver install 32bit” windows comes up.




Step 5: please choose “Continue Anyway” when a warning message window comes with.




Step 6: Choose “continue Anyway” when another warning message window comes up for “USB 2.0 Video capture”




Step 7: Please choose “continue anyway” when another warning message windows jumps up for “USB 2.0 Audio capture”




Step 8: Please choose”Continue Anyway” when the last warning message window comes up.



Step 9: please click “finish” when the installation program shows that the driver is installed successfully.



**Step 10: Check if the driver has installed successfully.** Please go to Control panel→Performance and maintenance→”Administrative Tools”→”computer management”→Device Manager→ You will see USB 2.0 Video capture and USB 2.0 Audio capture are there and there are no yellow mark beside them.



## 2. Setting for EZ Grabber

EZ Grabber is designed to capture video/take still photo while you playing the video on the video source device.


If you wish to edit the captured video, please use Software Honestech VHS 2 DVD.

### 1) Video format and video source setting:


Video format: for UK customers, please choose "PAL-BDHIG"

Video Source: Please choose "composite" if you use composite AV cable (yellow, red, white)


Please choose "svideo" if you use Svideo cable + R/L for audio (red/white)




### 2) Capture button setting: if you want to capture video, please choose "Capture video", If you want to use it to take still photo, please choose "snapshot"



3)Setting for SNAPSHOT (i.e take still picture): you can choose to save the picture as JPG or BMP.



4)Record format setting. If you choose to “capture video”, you can choose different video record format.




### 3. Basic Setting Honestech VHS to DVD

- 1) Video Device: Please choose “Conexant Polaris Video Capture”
- 2) Input device setting: click the “setting” button beside the Video device, then you can set the Input device.

Please choose “composite” if you use composite AV cable (yellow, red, white)

Please choose “svideo” if you use Svideo cable + R/L for audio (red/white)

3) Video Standard setting: by clicking the “control button” and go to “Video decoder” you can choose different video standard for your video source device. For the UK customer, please choose PAL-I.




- 4) Audio device setting: You DO NOT need to choose any audio device since the chipset for our VCAP602 has combined video and audio together and the audio recording will be controlled by the video device.

5) Format: you can choose different format to save the captured file such as DVD/long DVD

6) Video Type: please choose PAL

7)Split Size: please choose the size that meets your needs



8) upload the captured video to YouTube (see picture below.)

9)transfer the captured video to IPOD and PSP

